Technical Data Sheet

Polyclonal Rabbit Anti-Bak

Product Information

556396 **Material Number:** $0.1 \, \mathrm{ml}$ Size: Polyclonal Clone:

Immunogen: Human Bak aa. 14-36 Peptide

Isotype: Rabbit Ig

QC Testing: Human Reactivity: Reported: Mouse, Rat

22-24 kDa Target MW:

Storage Buffer: Aqueous buffered solution containing ≤0.09% sodium azide and ≤0.03%

thimerosal

Description

Bak (for Bcl-2 homologous Antagonist/Killer) is a recently identified member of the Bcl-2 family. Bcl-2 family members are involved in mediating programmed cell death or apoptosis, and share two highly conserved functional regions, Bcl-2 homology 1 and 2 (BH1 and BH2). Several of the family members including Bcl-2 act as inhibitors of apoptosis, whereas others such as Bax promote cell death. Like Bax, Bak primarily promotes apoptosis. However, unlike Bax, Bak has also been shown to inhibit cell death. For example, expression of Bak in a human lymphoblastoid cell line protected it from apoptosis induced by serum deprivation and menadione oxidation. It is thus thought that the function of Bak may be context dependent. Bak mRNA has been identified in a wide variety of fetal and adult tissues, with the highest levels observed in heart and skeletal muscle. The apparently ubiquitous expression of Bak has lead to the suggestion that its function may be mediated by cell death inhibitory factors, particularly in cell types with a long life span. This polyclonal antibody has been reported not to cross-react with other members of the Bcl-2 family, including Bcl-2, Bcl-XL, Bcl-XS, Bax, and Mcl-1.

Preparation and Storage

Store undiluted at 4°C.

Application Notes

Application

ĺ	TT	Routinely Tested
	Immunohistochemistry-paraffin	Reported

Recommended Assay Procedure:

Western blot: Please refer to http://www.bdbiosciences.com/pharmingen/protocols/Western_Blotting.shtml

Investigators are highly encouraged to titrate the antibody for optimal results. Suggested starting dilutions range from 1:500-1:4000. It has been reported that in skeletal muscle lysates, an additional 22 kD band may be observed representing a breakdown product or alternatively spliced variant of Bak. Other cell lines that may be useful for examining for Bak include: HEK-293 cells (Human embryonic kidney cells; ATCC CRL-1573), Jurkat cells (Human T-cell leukemia; ATCC TIB-152), Daudi cells (Human B lymphoblast; ATCC CCL-213), and Ramos cells (Burkitt's lymphoma; Human B-lymphoblast; ATCC CRL-1596)

Suggested Companion Products

Catalog Number	Name	Size	Clone
554021	HRP Goat Anti-Rabbit Ig	1.0 ml	(none)

Product Notices

- Since applications vary, each investigator should titrate the reagent to obtain optimal results.
- Caution: Sodium azide yields highly toxic hydrazoic acid under acidic conditions. Dilute azide compounds in running water before discarding to avoid accumulation of potentially explosive deposits in plumbing.
- This product contains thimerosal, an organic mercury compound. Mercury and mercury compounds are chemicals known to the State of California to cause birth defects or other reproductive harm. Foreseeable use of this product does not pose a known reproductive toxicity
- Please refer to www.bdbiosciences.com/pharmingen/protocols for technical protocols.

Krajewska M, Moss SF, Krajewski S, Song K, Holt PR, Reed JC. Elevated expression of Bcl-X and reduced Bak in primary colorectal adenocarcinomas. Cancer Res. 1996; 56(10):2422-2427.(Immunogen: Immunohistochemistry)

Krajewski S, Krajewska M, Shabaik A, et al. Immunohistochemical analysis of in vivo patterns of Bcl-X expression. Cancer Res. 1994; 54(21):5501-5507. (Immunogen: Immunohistochemistry, Western blot)

Krajewski S, Zapata JM, Reed JC. Detection of multiple antigens on western blots. Anal Biochem. 1996; 236(2):221-228.(Biology: Western blot)

BD Biosciences

bdbiosciences.com

United States Asia Pacific Canada Latin America/Caribbean Europe Japan 888.259.0187 32.53.720.550 0120.8555.90 65.6861.0633 877.232.8995

For country-specific contact information, visit bdbiosciences.com/how_to_order/

Conditions: The information disclosed herein is not to be construed as a recommendation to use the above product in violation of any patents. BD Biosciences will not be held responsible for patent infringement or other violations that may occur with the use of our products. Purchase does not include or carry any right to resell or transfer this product either as a stand-alone product or as a component of another product. Any use of this product other than the permitted use without the express written authorization of Becton Dickinson and Company is strictly prohibited. For Research Use Only. Not for use in diagnostic or therapeutic procedures. Not for resale. BD, BD Logo and all other trademarks are the property of Becton, Dickinson and Company. ©2008 BD

